



ROLLING RISER AND CASTER OPTIONS

STEEL DECK COMPATIBLE

8.75" wheels (QTY 36)
8.75" wheels for 2' deck (QTY 8)



12" offset wheels (QTY 113)
16" offset wheels (QTY 14)
16" offset wheel heavy duty (QTY 4) *not shown*

18" offset wheels (QTY 20)
24" offset wheels (QTY 4)



Staging & Rigging Services • Production Management • Sales, Rentals

250 Fifth St • Bridgeport, CT 06607 • Phone (203) 416-5380 • Fax (203) 416-5387

www.unitedstaging.com



32" offset wheels (QTY 12)



8" caster for 1.5" SCH 40 pipe or Ring Lock Scaffold (QTY 40)



Staging & Rigging Services • Production Management • Sales, Rentals

250 Fifth St • Bridgeport, CT 06607 • Phone (203) 416-5380 • Fax (203) 416-5387

www.unitedstaging.com



STAGERIGHT COMPATIBLE

10" dual pneumatic (QTY 40)



TRUSS COMPATIBLE

10" dual pneumatic to truss adapter plate (QTY 8)

STAGING DIMENSIONS COMPATIBLE

Staging Dimension single rolling
caster (QTY 26)

Staging Dimension dual rolling
caster (QTY 15)

(These just use an extension leg
to achieve desired deck height)



Staging & Rigging Services • Production Management • Sales, Rentals

250 Fifth St • Bridgeport, CT 06607 • Phone (203) 416-5380 • Fax (203) 416-5387

www.unitedstaging.com